

Applying Stable distribution on congestion latency signatures

AIMS 2018: Workshop on Active Internet Measurements

March 13th, 2018

San Diego Supercomputer Center

University of California San Diego

Esteban Carisimo, J Ignacio Alvarez-Hamelin and
Amogh Dhamdhere



UBA

Universidad de Buenos Aires

CONICET



Modeling latency distribution

- **Previous models**

- Weibull [Papagiannaki, Hernández]
- Lognormal [Fontugne]

- **Problems**

- Different acquisition method
- Did not capture well our data
- Couldn't reproduce *extreme values*

- **Proposal**

- Stable distribution
- Fairly popular in Econophysics

Papagiannaki, Konstantina, et al. "Measurement and analysis of single-hop delay on an IP backbone network." *IEEE Journal on Selected Areas in Communications* 21.6 (2003): 908-921.

Hernández, José-Alberto, and Iain W. Phillips. "Weibull mixture model to characterise end-to-end Internet delay at coarse time-scales." *IEE*

Fontugne, Romain, Johan Mazel, and Kensuke Fukuda. "An empirical mixture model for large-scale RTT measurements." *Computer Communications (INFOCOM), 2015 IEEE Conference on. IEEE, 2015. Proceedings-Communications* 153.2 (2006): 295-304.



Applying Stable distribution on congestion latency signatures
March 13th, 2018. AIMS 2018
Esteban Carisimo

The Stable distribution


$$g(k) = \exp\{\delta[ik\gamma - |k|^\alpha w(k; \alpha, \beta)]\}$$

$$w(k; \alpha, \beta) = \begin{cases} \exp[-i\beta\Phi(\alpha)\text{sign}(k)], & \alpha \neq 1 \\ \pi/2 + i\beta \log |k|\text{sign}(k), & \alpha = 1 \end{cases}$$

$$\Phi(\alpha) = \begin{cases} \alpha\pi/2 & \alpha < 1 \\ (\alpha - 2)\pi/2 & \alpha > 1 \end{cases}$$

- $g(k)$ is the characteristic function
- It is defined by four parameters
- a.k.a “paretian stable”, “levy stable”, “alpha-stable”

Formula as in page xvi. Uchaikin, Vladimir V., and Vladimir M. Zolotarev. Chance and stability: stable distributions and their applications. Walter de Gruyter, 1999.



Applying Stable distribution on congestion latency signatures
March 13th, 2018. AIMS 2018
Esteban Carisimo

The Stable distribution

$$g(k) = \exp\{\delta[ik\gamma - |k|^\alpha w(k; \alpha, \beta)]\}$$

$$w(k; \alpha, \beta) = \begin{cases} \exp[-i\beta\Phi(\alpha)\text{sign}(k)], & \alpha \neq 1 \\ \pi/2 + i\beta \log |k|\text{sign}(k), & \alpha = 1 \end{cases}$$

$$\Phi(\alpha) = \begin{cases} \alpha\pi/2 & \alpha < 1 \\ (\alpha - 2)\pi/2 & \alpha > 1 \end{cases}$$

Drawbacks

- Fairly complex expression
- It cannot be expressed in terms of elementary functions.
- Extremely hard to fit Stable to data [McCulloch1986]

Formula as in page xvi. Uchaikin, Vladimir V., and Vladimir M. Zolotarev. *Chance and stability: stable distributions and their applications*. Walter de Gruyter, 1999.

[McCulloch1986] McCulloch, J. Huston. "Simple consistent estimators of stable distribution parameters."

Communications in Statistics-Simulation and Computation 15.4 (1986): 1109-1136.



Applying Stable distribution on congestion latency signatures
March 13th, 2018. AIMS 2018
Esteban Carisimo

3 important things about the Stable


1. It is four-parameter distribution
2. Some parametrization can yield a heavy tail distribution
3. Normal distribution belongs to the Stable distribution family



Parameters of the Stable distribution


- $\alpha \in (0, 2]$: Characteristic parameter. Defines the decrease of the tail
- $\beta \in (-1, 1)$: Skew parameter
- $\gamma \in \mathbb{R}$: Scale or stretching parameter
- $\delta \in \mathbb{R}$: Location parameter

Uchaikin, Vladimir V., and Vladimir M. Zolotarev. Chance and stability: stable distributions and their applications. Walter de Gruyter, 1999.




Applying Stable distribution on congestion latency signatures
March 13th, 2018. AIMS 2018
Esteban Carisimo

Parameters of Stable distribution




Parameters of Stable distribution




Applying Stable distribution on congestion latency signatures
March 13th, 2018. AIMS 2018
Esteban Carisimo

Parameters of Stable distribution



Applying Stable distribution on congestion latency signatures
March 13th, 2018. AIMS 2018
Esteban Carisimo


Parameters of Stable distribution



Dataset & procedure

- Data acquisition
 - pings from Ark to neighbor ASes
 - RTT samples from interdomain links
 - High-frequency Probing
- Fitting Stable distribution to RTTs
 - Libstable (GPU) [Julian-Moreno16]
 - Time window: 10 minutes
 - Latency model: $\log(RTT) \sim S(\alpha, \beta, \gamma, \delta)$

[Julian-Moreno16] Julián-Moreno, Guillermo, et al. "Fast parallel α -stable distribution function evaluation and parameter estimation using OpenCL in GPGPUs." *Statistics and Computing* 27.5 (2017): 1365-1382.




Applying Stable distribution on congestion latency signatures
March 13th, 2018. AIMS 2018
Esteban Carisimo

Summary in numbers


- 416M RTT samples
- 5 Ark monitors in 3 major ISPs
- 16 neighbor ASes
- 125 far IPs
- 1667 unique tuples (monitor, farIP, day)

First look at DELTA throughout some days




Applying Stable distribution on congestion latency signatures
March 13th, 2018. AIMS 2018
Esteban Carisimo

First look at GAMMA throughout some days



Applying Stable distribution on congestion latency signatures
March 13th, 2018. AIMS 2018
Esteban Carisimo


Scatter plot: DELTA and GAMMA altogether COMCAST (atl2-us) —> Google



Applying Stable distribution on congestion latency signatures
March 13th, 2018. AIMS 2018
Esteban Carisimo


Scatter plot: DELTA and GAMMA altogether COMCAST (atl2-us) → Facebook

10.42.4.200 I 31.13.74.1 I 10 I 50.248.116.194 I 248




Applying Stable distribution on congestion latency signatures
March 13th, 2018. AIMS 2018
Esteban Carisimo

Scatter plot: DELTA and GAMMA altogether COMCAST (atl2-us) → Netflix




Applying Stable distribution on congestion latency signatures
March 13th, 2018. AIMS 2018
Esteban Carisimo

Scatter plot frame by frame




Applying Stable distribution on congestion latency signatures
March 13th, 2018. AIMS 2018
Esteban Carisimo

Scatter plot frame by frame




Applying Stable distribution on congestion latency signatures
March 13th, 2018. AIMS 2018
Esteban Carisimo

Scatter plot frame by frame




Applying Stable distribution on congestion latency signatures
March 13th, 2018. AIMS 2018
Esteban Carisimo

Data reduction and congestion signature




System architecture



ML performance

Accuracy as a function of the training proportion



Applying Stable distribution on congestion latency signatures
March 13th, 2018. AIMS 2018
Esteban Carisimo

Conclusions

- We introduce the Stable to model latency
- We found delta-gamma patterns as an innovative way to detect congestion
- We applied Stable+ML to built an automatic system to detect congestion